

Electronic basin controls
TEMPOMATIC 4
for hygienic and economical public washrooms



• SIMPLE TO MAINTAIN • TOTAL HYGIENE • WATER SAVINGS •
4 in 1
• INSTANT INSTALLATION •

DELABIE

DELABIE



Electronic basin controls

TEMPOMATIC 4

100% hygiene, 90% water savings,
simple to install and maintain,
the complete package when it comes to technology



Total hygiene

- Operates without manual contact
- Daily anti-bacterial duty flush for the pipework



90% Water savings

- Flow rate pre-set at 3 lpm, can be adjusted from 1.5 - 6 lpm
- Shuts off automatically
- Reduced water consumption to cope with more frequent and longer hand washing



Instant installation

- Replaces a conventional or time flow tap in a matter of minutes
- Low-cost change, no need to modify the installation



Simple to maintain

- Direct access to components (batteries and solenoid valve) no need to remove the tap or shut off the water supply

DELABIE

Electronic basin controls

TEMPOMATIC 4

0 bacteria, 100% DELABIE!

In the context of the current pandemic, everyone is aware of the need to wash their hands regularly. It is one of the key barrier actions to prevent the spread of the virus. In public and commercial places, the risk of contamination via taps is very real. To ensure user safety in washrooms, appropriate measures are required.



Total hygiene

Electronic controls know how to keep their distance! Hands can be washed without any manual contact with the tap. The valve opens when hands are detected and closes automatically when they are removed.

The user is, therefore, protected.

Bacteria multiply inside the pipework when water stagnates. To make sure it circulates, the TEMPOMATIC 4 activates every 24 hours after its last use.

Electronic control, coupled with a patented reduced-stagnation solenoid valve, the TEMPOMATIC 4 range guarantees hygienic hand washing.

The water used is clean and safe, even if the building has been closed for a long time.



90% water savings

The health crisis has revolutionised our consumption and our habits. Everyone is affected, everyone is impacted. We wash our hands more frequently and for longer. The WHO (World Health Organisation) recommends washing hands for 40 to 60 seconds, and as often as necessary.

Water consumption in public places has, therefore, increased significantly.

The TEMPOMATIC 4 stops automatically while the hands are being soaped: that's a saving of almost **5 litres per hand wash**.

Thanks to its electronic operation and its reduced flow rate, the **TEMPOMATIC 4 saves up to 90%** on the water bill. Absolutely vital when you have multiple hand washing facilities to equip or maintain.

It's an ecological choice: reducing waste and **conserving water resources**.



5.2L

Conventional mixer 6 lpm

90%
WATER
SAVINGS



0.6L

DELABIE mixer 3 lpm

Comparison between a conventional mixer and a DELABIE electronic mixer

Flow rate	Wetting	Soaping	Rinsing	Water consumption
 6L	 5 sec.	 40 sec.	 7 sec.	<p>5.2L</p> <hr/> 52 sec. With a conventional mixer
 3L	 5 sec.	 -	 7 sec.	<p>0.6L</p> <hr/> 12 sec. With a DELABIE electronic mixer

3

Instant installation



Replacing a conventional mixer with an electronic model: **nothing could be simpler.**

The battery-operated TEMPOMATIC 4 can be installed very quickly to replace existing taps that are already installed - without additional work, without a power supply, without any adjustments: **a straight swap.**

Deck-mounted



Wall-mounted



Electronic unit is accessible and waterproof

Simple to maintain

6V Lithium batteries

3 - 6 years battery life.
Can be replaced without shutting off the water or removing the tap

Direct access to the solenoid valve

Patented reduced-stagnation system

Scale-resistant flow straightener

Minimal servicing



4

Simple to maintain

Everything has been designed to make life easier for the installer: autonomous battery life of several years; batteries can be changed without shutting off the water; access to the solenoid valve from the front; self-adjusting and economical system.

Maintenance on the TEMPOMATIC 4 is quick and easy.

Electronic basin controls TEMPOMATIC 4

for hygienic and economical public washrooms

Public
places

Schools, Colleges, Academies, Early years
Cafés, Bars, Hotels, Restaurants
Sports centres, Swimming pools
Campsites, Leisure centres
Offices, Factories, Shopping centres
Civic buildings
Airports, Stations, Service stations
Medical centres, Hospitals
Care homes, Retirement homes
Etc.



Deck-mounted electronic mixers



49000615



49000015



Deck-mounted electronic taps

44000615

44000015



Wall-mounted electronic mixers

L. 160mm

493406

493400

L. 220mm

493506

493500

L. 130mm cross wall


493416

493410

L. 190mm cross wall

493516

493510



Wall-mounted electronic taps

L. 130mm

443406

443400

L. 190mm

443506

443500

L. 130mm for refurbishment

443436

-

L. 190mm for refurbishment

443536

-

L. 130mm cross wall

443416

443410

L. 190mm cross wall

443516

443510

Long temperature lever: for deck-mounted versions add "LH" to the end of the reference, and for wall-mounted versions add "L".

Factory pre-set 1.4 lpm: add "LD" to the end of the reference.

Additional non-contact products



Electronic liquid soap
or hydroalcoholic gel
dispenser

Ref. 512066P



Exposed electronic
urinal valve

Ref. 479411



Dual control electronic
direct flush WC valve

Ref. 464PBOX-464006

DELABIE

delabie.co.uk

DELABIE UK Ltd
Henderson House, Hithercroft Road
Wallingford, OXON, OX10 9DG

DELABIE UK Ltd Reg. NO: 1764854 England



3 453530 194958

PEFC® 14-35-0002



DOC 208UK - 03/2021